

Appendix D

Selected References on Recent Uses of Biodiversity Collections (*includes references only since 2010*)

Acosta AL, Giannini TC, VL Imperatriz-Fonseca et al (2016) Worldwide Alien Invasion: A Methodological approach to forecast the potential spread of a highly invasive pollinator *PLOS ONE* e0148295
<https://doi.org/10.1371/journal> [invasive species]

Albuquerque F and Beier P (2016) Predicted rarity- weighted richness, a new tool to prioritize sites for species representation *Ecology and Evolution* 6: 8107–8114 <https://doi.org/10.1002/ece32544> [conservation]

Alimi, TO, Fuller DO, Herrera SV et al (2016) A multi-criteria decision analysis approach to assessing malaria risk in northern South America *BMC Public Health* 16: 221 doi: 10.1186/s12889-016-2902-7. [Human Health]

Allen, JM and Bradley BA (2016) Out of the weeds? Reduced plant invasion risk with climate change in the continental United States *Biological Conservation* 203: 306–312 <https://doi.org/10.1016/j.biocon.2016.09.015> [invasive species]

André T, Salzman S, Wendt T et al (2016) Speciation dynamics and biogeography of Neotropical spiral gingers (Costaceae) *Molecular Phylogenetics and Evolution* 103: 55-63
<https://doi.org/10.1016/j.ympev.2016.07.008> [species diversity]

April J, Mayden R, et al (2011) Genetic calibration of species diversity among North America's freshwater fishes *Proceedings of the National Academy of Sciences* June 28, 2011 108 (26) 10602-10607; <https://doi.org/10.1073/pnas.1016437108> [species diversity]

Auer T, MacEachren AB, McCabe C, et al (2011) HerbariaViz: A web-based client-server interface for mapping and exploring flora observation data *Ecological Informatics* 01009001 DOI:[10.1016/j.ecoinf.2010.09.001](https://doi.org/10.1016/j.ecoinf.2010.09.001) [tools]

Bakker F (2017) Herbarium genomics: skimming and plastomics from archival specimens *Webbia* 72: 35-45
<https://doi.org/10.1080/00837792.2017.1313383> [genomics]

Bakker F, Lei D, Yu J, et al (2016) Herbarium genomics: Plastome sequence assembly from a range of herbarium specimens using an Iterative Organelle Genome Assembly pipeline *Biological Journal of the Linnean Society* 117:33–43 doi:101111/bij12642 [genomics]

Ballard H, Robinson L, Young A et al (2017) Contributions to conservation outcomes by natural history museum-led citizen science: Examining evidence and next steps *Biological Conservation* 208: 87-97 [https://doi.org/101016/j.biocon\(2016\)08040](https://doi.org/101016/j.biocon(2016)08040) [conservation]

Ballesteros-Mejia L, Kitching IJ, Jetz W et al (2016) Putting insects on the map: near-global variation in sphingid moth richness along spatial and environmental gradients *Ecography* I [species diversity] <https://doi.org/101111/ecog02438>

Barve V, and Otegui J (2016) bdvis: visualizing biodiversity data in R *Bioinformatics* 32(19): 3049—3050 [Data management]

Bateman BL, Pidgeon AM, Radeloff VC et al (2016) Potential breeding distributions of US birds predicted with both short-term variability and long- term average climate data *Ecological Applications* 26(8): 2720–2731[data management] <https://doi.org/101002/eap1416>

Bebber D, Carine M, Wood J, et al (2010) Herbaria are a major frontier for species discovery *Proceedings of the National Academy of Sciences* 107: 22169-71 doi: 101073/pnas1011841108 [species diversity]

Bell, KC, Carlson CJ, & Phillips, AJ (2018) Parasite collections: overlooked resources for integrative research and conservation *Trends in Parasitology* 34: 637-639 [conservation] [species occurrence]

Bellard C, Genovesi P and Jeschke JM (2016) Global patterns in threats to vertebrates by biological invasions *Proceedings of the Royal Society B: Biological Sciences* 20152454 [invasive species] <https://doi.org/101098/rspb20152454>

Bellard C, Leroy B, Thuiller W et al (2016) Major drivers of invasion risks throughout the world *Ecosphere* 7: ecs21241 [invasive species] <https://doi.org/101002/ecs21241>

- Benedict JC, Smith SY, Specht CD et al (2016) Species diversity driven by morphological and ecological disparity: a case study of comparative seed morphology and anatomy across a large monocot order *AoB Plants* 8: plw063 [species diversity] <https://doi.org/10.1093/aobpla/plw063>
- Besnard G, Christin P, Malé P, et al (2014) From museums to genomics: Old herbarium specimens shed light on a C3 to C4 transition *Journal of Experimental Botany* 65: 6711-21 [genomics]
- Biber-Freudenberger L, Ziemacki J, Tonnang HEZ et al (2016) Future Risks of Pest Species under Changing Climatic Conditions *PLOS ONE* 11(4): e0153237 <https://doi.org/10.1371/journal.pone0153237> [Climate Change]
- Bieker, V, & Martin, M (2018) Implications and future prospects for evolutionary analyses of DNA in historical herbarium collections *Botany Letters* 165: 408-418 [genomics]
- Bosch J, Iglesias I, Muñoz MJ et al (2016) A Cartographic Tool for Managing African Swine Fever in Eurasia: Mapping Wild Boar Distribution Based on the Quality of Available Habitats *Transboundary and Emerging Diseases* 64: 1720-1733 <https://doi.org/10.1111/tbed.12559> [tools]
- Bowe C & Haq N (2010) Quantifying the global environmental niche of an underutilised tropical fruit tree (*Tamarindus indica*) using herbarium records *Agriculture, Ecosystems and Environment*, 139(1-2) [species occurrence]
- Bradley R, Bradley, L, Garner, H, et al (2014) Assessing the Value of Natural History Collections and Addressing Issues Regarding Long-Term Growth and Care *BioScience* 64: 1150-1158 [physical collections]
- Brooks, S, Self A, Toloni, F et al (2014) Natural history museum collections provide information on phenological change in British butterflies since the late-nineteenth century *International Journal of Biometeorology* 58: 1749-1758 [phenology]
- Brooks DR, Hoberg EP, Boeger WA et al (2014) Finding them before they find us: informatics, parasites, and environments in accelerating climate change *Comparative Parasitology* 81: 155-164 [climatology] [species occurrence]

Burleigh J, Alphonse K, Alverson A et al (2013) Next-generation phenomics for the Tree of Life *PLOS Currents* 26 June 2013 [species diversity]

Bush, SE, Reed M, & S Maher (2013) Impact of forest size on parasite biodiversity: implications for conservation of hosts and parasites *Biodiversity and Conservation* 22: 1391-404 [species diversity]

Butle, A, Rees T, Beesley P, et al (2010) Marine Biodiversity in the Australian Region (Y Ropert-Coudert, Ed) *PLOS ONE*, 5(8), e11831 [species diversity]

Butler A, Rees T, Beesley P (2010) Marine biodiversity in the Australian region *PLOS ONE* 2 August 2010
<https://doi.org/10.1371/journal.pone0011831>
 [species diversity]

Butterfield BJ, Copeland SM, Munson SM, et al (2016) Prestoration: using species in restoration that will persist now and into the future *Restoration Ecology* 10.1111/rec.12381 [Conservation]
<https://doi.org/10.1111/rec.12381>

Buttigieg, PL, Morrison N, Smith B et al (2013) The environment ontology: contextualising biological and biomedical entities *Journal of Biomedical Semantics* 4: 43 [tools]

Canavan S, Richardson DM, Visser V et al (2016) The global distribution of bamboos: assessing correlates of introduction and invasion *AoB Plants*
<https://doi.org/10.1093/aobpla/plw078> [invasive species]

Calderón L, Campagna L, Wilke T et al (2016) Genomic evidence of demographic fluctuations and lack of genetic structure across flyways in a long distance migrant, the European turtle dove *BMC Evolutionary Biology* 16(1) <https://doi.org/10.1186/s12862-016-0817-7> [genomics]

Carranza-Rojas J, Goeau H, Bonet P et al 2017 Going deeper in the automated identification of herbarium specimens *BMC Evolutionary Biology* 17: 181

Carlson, CJ, Burgio KR, Dougherty ER et al (2017) Parasite diversity faces extinction and redistribution in a changing climate *Scientific Advances* 3(9): e1602422 doi: 10.1126/sciadv.1602422 [species diversity][climatology]

Chalkowski, K, Lepczyk CA, & Zhody S (2018) Parasite ecology of invasive species: conceptual framework and new hypotheses *Trends in Parasitology* 34: 655-663 [invasive species][species occurrence]

Chandler M, See L, Copas K et al (2016) Contribution of citizen science towards international biodiversity monitoring *Biological Conservation* [citizen science] : <https://doi.org/10.1016/j.biocon.2016.09.004>

Cizauskas, CA, Carlson CJ, Burgio KR et al (2017) Parasite vulnerability to climate change: an evidence-based functional trait approach *Royal Society Open Science* 4: 160535 doi: 10.1098/rsos.160535 [climatology]

Clare E, Lim B, Fenton M et al (2011) Neotropical Bats: Estimating Species Diversity with DNA Barcodes (D Steinke, Ed) *PLOS ONE*, 6(7), e22648 [species diversity]

Clayton, DH, Bush SE, & Johnson KP (2015) *Coevolution of life on hosts: integrating ecology and history* University of Chicago Press, Chicago, Illinois 320 pp [species diversity]

Coro G, Magliozzi C, Vanden Berghe E, Bailly N, et al (2016) Estimating absence locations of marine species from data of scientific surveys in OBIS *Ecological Modelling* 323, 61–76 [data management] <https://doi.org/10.1016/j.ecolmodel.2015.12.008>

Costello, M & Wieczorek, J (2014) Best practice for biodiversity data management and publication *Biological Conservation* 173 101016/j.biocon.2013.10.018 <https://doi.org/10.1093/biosci/biu096>

Cook J, Edwards S, Lacey EA, (2014) Natural history collections as emerging resources for innovative education *BioScience* 64: 725-234 [education]

Cook, JA, Lacey EA, Ickert-Bond SM et al 2016 From museum cases to the classroom: emerging opportunities for specimen-based education In: *Aspects of Biodiversity*, (I Pavlinov, ed) Archives of Zoological Museum of Moscow State University, Moscow, Russia, 54: 787-799 [education]

Canavan S, Richardson DM, Visser V et al (2016) The global distribution of bamboos: assessing correlates of introduction and invasion *AoB Plants* [invasive species] <https://doi.org/10.1093/aobpla/plw078>

Cramer MD and Verboom GA (2016) Measures of biologically relevant environmental heterogeneity improve prediction of regional plant species richness *Journal of Biogeography* 44(3): 579–591 [species diversity]
<https://doi.org/10.1111/jbi.12911>

Cross R (2017) New 3D scanning campaign will reveal 20,000 animals in stunning detail *Science magazine* Aug 24
<https://doi.org/10.1126/science.aap7604>

Crowl AA, Miles NW, Visger CJ (2016) A global perspective on Campanulaceae: Biogeographic, genomic, and floral evolution *American Journal of Botany Botanical Society of America*, 233–245 [Evolution]
<https://doi.org/10.3732/ajb1500450>

Curtis CA and Bradley BA (2016) Plant Distribution Data Show Broader Climatic Limits than Expert-Based Climatic Tolerance Estimates *PLOS ONE* 11(11): e0166407 [climate change] : <https://doi.org/10.1371/journal.pone.0166407>

Dantas-Torres, F, Chomel BB & Otranto D (2012) Ticks and tick-borne diseases: a One Health perspective *Trends in Parasitology* 28: 437-446 [species distributions]

Davis C, Willis C, Connolly B, Kelly et al (2015) Herbarium records are reliable sources of phenological change driven by climate and provide novel insights into species' phenological cueing mechanisms *American Journal of Botany* 102: 1599-1609 doi: 10.3732/ajb1500237 [phenology]

Davis Rabosky AR, Cox CL, Rabosky DL et al(2016) Coral snakes predict the evolution of mimicry across New World snakes *Nature Communications* 7: 11484[Evolution] <https://doi.org/10.1038/ncomms11484>

Deans, AR, Yoder MJ & Balhoffer JP (2012) Time to change how we describe biodiversity *Trends in Ecology & Evolution* 27: 78-84 doi: 10.1016/j.tree(2011)11007 [tools][species diversity]

Deblauwe V, Droissart V, Bose R et al (2016) Remotely sensed temperature and precipitation data improve species distribution modelling in the

tropics *Global Ecology and Biogeography* 443–454 [species diversity]
<https://doi.org/10.1111/geb.12426>

Dew RM, Shell WA & Rehan SM (2018) Changes in maternal investment with climate moderate social behaviour in a facultatively social bee *Behavioral Ecology and Sociobiology* 72: 69 [climatology]

DiEuliis D, Johnson KR, Morse SS et al I (2016) Opinion: Specimen collections should have a much bigger role in infectious disease research and response *Proceedings of the National Academy of Sciences USA* 113: 4–7 [species distributions]

Diskin E, Proctor H, Jebb M et al (2012) The phenology of *Rubus fruticosus* in Ireland: Herbarium specimens provide evidence for the response of phenophases to temperature, with implications for climate warming *International Journal of Biometeorology* 56: 1103–1111 doi [10.1007/s00484-012-0524-z](https://doi.org/10.1007/s00484-012-0524-z) [phenology]

DuBay, SG, & Fuldner, CC (2017) Bird specimens track 135 years of atmospheric black carbon and environmental policy *Proceedings of the National Academy of Sciences*, 114(43), 11321–11326

Duffy GA and Chown SL (2016) Urban warming favours C4 plants in temperate European cities *Journal of Ecology* 104(6): 1618–1626 [Climate change] <https://doi.org/10.1111/1365-2745.12652>

Dullinger I, Wessely J, Bossdorf O et al (2016) Climate change will increase the naturalization risk from garden plants in Europe *Global Ecology and Biogeography* 26(1): 43–53 [invasive species]
<https://doi.org/10.1111/geb.12512>

Dunne JA, Maschner H, Betts MW et al (2016) The roles and impacts of human hunter-gatherers in North Pacific marine food webs *Scientific Reports* 6: 21179 [ecology] <https://doi.org/10.1038/srep21179>

Dunnum JL, Yanagihara R, Johnson KM et al (2017) Biospecimen repositories and integrated databases as critical infrastructure for pathogen discovery and pathobiology research *PLoS Neglected Tropical Diseases* 11(1): e0005133 doi: 10.1371/journal.pntd.005133 [species distributions][species diversity]

Dupin J, Matzke NJ, Särkinen T et al (2016) Bayesian estimation of the global biogeographical history of the Solanaceae *Journal of Biogeography* 44(4): 887–899 [biogeography] <https://doi.org/10.1111/jbi.12898>

Eisen, RJ, Kugeler KJ, Eisen L et al (2017) Tick-borne zoonoses in the United States: persistent and emerging threats to human health *ILAR Journal* 58: 319-335 [species distributions]

Ellwood, E Kimberly, P et al (2018) Worldwide Engagement for Digitizing Biocollections the Calendar *BioScience* 68: 112-124 [citizen science] (WeDigBio): The Biocollections Community's Citizen-Science Space on

Ellwood, L, Dunkel B, Flemons P et al (2015) Accelerating digitization of biodiversity research specimens through online public participation *BioScience* 65: 383-396 [citizen science][tools]

Escobar LE, Qiao H & Peterson AT (2016) Forecasting Chikungunya spread in the Americas via data-driven empirical approaches *Parasites & Vectors Springer Nature* 9: 112 [Human Health]

Estrada-Peña A & de la Fuente J (2016) Species interactions in occurrence data for a community of tick-transmitted pathogens *Scientific Data* 3: 160056 [Human Health]

Everill, P, Primack, R, Ellwood, E et al (2014) Determining past leaf-out times of New England's deciduous forests from herbarium specimens *American Journal of Botany* 101: 1293-1300 <https://doi.org/10.3732/ajb.1400045> [phenology]

Fourcade Y (2016) Comparing species distributions modelled from occurrence data and from expert-based range maps Implication for predicting range shifts with climate change *Ecological Informatics* 36: 8–14 [data management] <https://doi.org/10.1016/j.ecoinf.2016.09.002>

Fournier AMV, Sullivan AR, Bump JK et al (2016) Combining citizen science species distribution models and stable isotopes reveals migratory connectivity in the secretive Virginia rail *Journal of Applied Ecology* <https://doi.org/10.1111/1365-2664.12723> [citizen science]

Franklin J, Serra-Diaz JM, Syphard AD et al (2016) Big data for forecasting the impacts of global change on plant communities *Global Ecology and Biogeography* 26(1): 6–17 [Data management]

Frey D, Reisch C, Narduzzi-Wicht B (2017) Historical museum specimens reveal the loss of genetic and morphological diversity due to local extinctions in the endangered water chestnut *Trapa natans* L (Lythraceae) from the southern Alpine lake area *Botanical Journal of the Linnean Society* 185: 343-358 DOI: 101093/botlinnean/box061 [species diversity]

Frishkoff LO, Karp DS, Flanders JR (2016) Climate change and habitat conversion favour the same species *Ecology Letters* 19(9): 1081–1090 [Climate Change] <https://doi.org/101111/ele12645>

Fuentes N, Pauchard A, Sánchez P (2013) A new comprehensive database of alien plant species in Chile based on herbarium records *Biological Invasions* 5 DOI: 101007/s10530-012-0334-6} [invasive species]

Fu Z, Epstein B, Kelley JL et al Using NextRAD sequencing to infer movement of herbivores among host plants *PLOS ONE* 2017 May 15; 12(5):e0177742 <https://doi.org/101371/journalpone0177742> PMID: 28505182 [genomics]

Funk W, Caminer M & Ron SR (2011) High levels of cryptic species diversity uncovered in Amazonian frogs *Proceedings of the Royal Society B* 279: 806-184 DOI: 101098/rspb20111653 [species diversity]

Gallien L, Thuiller W, Fort N et al (2016) Is There Any Evidence for Rapid, Genetically-Based, Climatic Niche Expansion in the Invasive Common Ragweed? *PLOS ONE Public Library of Science (PLoS)* 11(4): e0152867 [invasive species] <https://doi.org/101371/journalpone0152867>

Gallinat, A, Russo L, Melass K et al (2018) Herbarium specimens show patterns of fruiting phenology in native and invasive plant species across New England *American Journal of Botany* 105: 3-41 [phenology]

Giles, JR, Peterson AT, Busch JD et al (2014) Invasive potential of cattle fever ticks in the southern United States *Parasites and Vectors* 7: 189 doi: 101186/1756-3305-7-189 [invasive species]

Golden A, Naisilsisili W, Ligairi I (2014) Combining natural history collections with fisher knowledge for community-based conservation in Fiji *PLOS ONE* 21 May 2014 <https://doi.org/101371/journalpone0098036> [conservation]

- Gómez-Ruiz EP and Lacher TE (2016) Modelling the potential geographic distribution of an endangered pollination corridor in Mexico and the United States *Diversity and Distributions* *W* 23(1): 67–78 [species diversity] <https://doi.org/101111/ddi12499>
- Gray CL, Hill SLL, Newbold T et al (2016) Local biodiversity is higher inside than outside terrestrial protected areas worldwide *Nature Communications Springer Nature*, 12306 [conservation] <https://doi.org/101038/ncomms12306>
- Greve M, Lykke A, Fagg C et al (2016) Realising the potential of herbarium records for conservation biology *South African Journal of Botany*, 105: 317–323 [conservation]
- Griffiths HJ & Waller CL (2016) The first comprehensive description of the biodiversity and biogeography of Antarctic and Sub-Antarctic intertidal communities *Journal of Biogeography* 1143–1155 [biodiversity]
- Gueta T & Carmel Y (2016) Quantifying the value of user-level data cleaning for big data: A case study using mammal distribution models *Ecological Informatics* 34: 139–145 [data management] <https://doi.org/101016/j.ecoinf201606001>
- Hardion L, Verlaque R, Saltonstall K et al (2014) Origin of the invasive *Arundo donax* (Poaceae): A trans-Asian expedition in herbaria *Annals of Botany* 114: 455–462 doi: 101093/aob/mcu143 [invasive species]
- Harris RMB, Kriticos DJ, Remenyi T et al (2016) Unusual suspects in the usual places: a phylo-climatic framework to identify potential future invasive species *Biological Invasions* 19(2): 577–596 [Invasive species] <https://doi.org/101007/s10530-016-1334-8>
- Harsch MA & HilleRis Lambers J (2016) Climate Warming and Seasonal Precipitation Change Interact to Limit Species Distribution Shifts across Western North America *PLOS ONE* 11(7): e0159184 [Climate Change] <https://doi.org/101371/journal.pone0159184>
- Hart R, Salick J et al (2014) Herbarium specimens show contrasting phenological responses to Himalayan climate *Proceedings of the National*

- Academy of Sciences* 111: 10615-10619; <https://doi.org/101073/pnas1403376111> [phenology]
- Hattab T, Leprieur F, Lasram FB et al (2016) Forecasting fine-scale changes in the food-web structure of coastal marine communities under climate change *Ecography* | <https://doi.org/101111/ecog01937> [Climate change]
- Horvitz N, Wang R, Wan F-H et al (2016) Pervasive human-mediated large-scale invasion: analysis of spread patterns and their underlying mechanisms in 17 of China's worst invasive plants *Journal of Ecology* | 105(1): 85–94 <https://doi.org/101111/1365-274512692> [invasive species]
- Hu J, Xing Y, Turkington R, et al (2015) A new positive relationship between pCO_2 and stomatal frequency in *Quercus guyavifolia* (Fagaceae): A potential proxy for palaeo- CO_2 levels *Annals of Botany* 115: 777-88 doi: 101093/aob/mcv007 [climatology]
- Huang, Y-L , Bowman E A, Massimo NC, et al (2018) Using collections data to infer biogeographic, environmental and host structure in communities of endophytic fungi *Mycologia* 110: 47-62 doi: 10.1080/00275514.2018.1442078.
- Hudson L Blagoderov V, et al (2015) Insect: Automating the digitization of natural history collections *PLOS ONE* 10: e0143402 <https://doi.org/101371/journal.pone0143402> [tools]
- Ikeda DH, Max TL, Allan GJ (2016) Genetically informed ecological niche models improve climate change predictions *Global Change Biology* 23(1): 164–176 [<https://doi.org/101111/gcb13470>] [Climate Change]
- Janssens SB, Vandeloos F, De Langhe E (2016) Evolutionary dynamics and biogeography of Musaceae reveal a correlation between the diversification of the banana family and the geological and climatic history of Southeast Asia *New Phytologist* | 210: 1453–1465 [Evolution]
- Jetz W, McPherson JM, Guralnick RP (2012) Integrating biodiversity distribution knowledge: toward a global map of life *Trends in Ecology & Evolution* 27: 151-159 [https://doi.org/101016/itree\(2011\)09007](https://doi.org/101016/itree(2011)09007)
- Keppel G, Gillespie TW, Ormerod P et al (2016) Habitat diversity predicts orchid diversity in the tropical south-west *Pacific Journal of Biogeography* 43(12): 2332–2342 <https://doi.org/101111/jbi12805> [species diversity]

Kissling, WD, Walls R, Bowser A et al (2018) Towards global data products on essential biodiversity variables on species traits *Nature Ecology & Evolution* 2: 1531-1540[phenology][tools]

Koski MH and Ashman T-L (2016) Macroevolutionary patterns of ultraviolet floral pigmentation explained by geography and associated bioclimatic factors *New Phytologist* 708–718 [Evolution]

Lacey EA, Hammond TT, A Mast (2017) Climate change, collections and the classroom: using big data to tackle big problems *Evolution: Education & Outreach* 10: 2 doi: 101186/s12052-017-0065-3 [education]

La Salle J, Williams KJ and Moritz C (2016) Biodiversity analysis in the digital era *Philosophical Transactions of the Royal Society B: Biological Sciences* 371(1702): 20150337 <https://doi.org/10.1098/rstb20150337> [policy]

Lawson, SP, Shell WA, SL Lombard , and SM Rehan (2018) Climatic variation across a latitudinal gradient affect phenology and group size, but not social complexity in small carpenter bees *Insectes Sociaux* 65: 483-492[climatology]

Lee-Yaw JA, Kharouba HM, Bontrager M et al (2016) A synthesis of transplant experiments and ecological niche models suggests that range limits are often niche limits *Ecology Letters* 19(6): 710–722 [ecology]

Liu Y, Piyawongwisal P, Handa S et al (2011) Going beyond citizen data collection with mapster: A mobile+cloud real-time citizen science experiment *Proceedings - 7th IEEE International Conference on e-Science Workshops (2011)* [citizen science]

Lopes, RJ, Merida AM, & Carneiro M (2017) Unleashing the potential of public genomic resources to find parasite genetic data *Trends in Parasitology* 33: 750-753[genomics]

Luizza MW, Evangelista PH, Jarnevich CS et al(2016) Integrating subsistence practice and species distribution modeling: assessing invasive elodea's potential impact on Native Alaskan subsistence of Chinook salmon and whitefish *Environmental Management* 58(1): 144–163 [invasive species] <https://doi.org/10.1007/s00267-016-0692-4>

Lundgren MR and Christin P-A (2016) Despite phylogenetic effects, C3–C4 lineages bridge the ecological gap to C4 photosynthesis *Journal of Experimental Botany* 68(2): 241–254 <https://doi.org/10.1093/jxb/erw451> [ecology]

Lutz, HL, Weckstein JD, Patané JSL et al (2013) Biogeography and spatio-temporal diversification of *Selenidera* and *Andigena* toucans (Aves: Ramphastidae) *Molecular Phylogenetics and Evolution* 69: 873–883 [species diversity]

Lutz, HL, Tkach VV, and JD Weckstein (2017) Methods for specimen-based studies of avian symbionts 1 In: The extended specimen Emerging frontiers in collections-based ornithological researcher (MS Webster, ed) *Studies in Avian Biology* (no 50), CRC Press, Boca Raton, Florida, pp 157–183 [species diversity][tools]

Marshall CAM, Wieringa JJ & Hawthorne WD (2016) Bioquality Hotspots in the *Tropical African Flora Current Biology* 26: 3214–3219 <https://doi.org/10.1016/j.cub.2016.09.045> [consequence]

McCormack, J, Tsai, W, & Faircloth, B (2016) Sequence capture of ultraconserved elements from bird museum specimens *Molecular ecology resources* 2016 Sep 16: 1189–1203 doi: 10.1111/1755-0998.12466 [species diversity]

Michonneau F, Brown JW and Winter DJ (2016) rotl : an R package to interact with the Open Tree of Life data *Methods in Ecology and Evolution* 7(12): 1476–1481 [Data Management]

Meiri S (2016) Small, rare and trendy: traits and biogeography of lizards described in the 21st century *Journal of Zoology* 299(4): 251–261 [biogeography] <https://doi.org/10.1111/jzo.12356>

Meyer C, Jetz W, Guralnick RP et al (2016) Range geometry and socio-economics dominate species-level biases in occurrence information *Global Ecology and Biogeography* 25(10): 1181–1193 [<https://doi.org/10.1111/geb.12483> data management]

Miller J, Porter-Morgan, H, Stevens H et al (2012) Addressing target two of the Global Strategy for Plant Conservation by rapidly identifying plants at risk *Biodiversity and Conservation* *Annals of the Missouri Botanical Garden* 99: 199-205 [conservation]

Mitchell, A (2015) Collecting in collections: A PCR strategy and primer set for DNA barcoding of decades-old dried museum specimens *Molecular Ecology Resources* 15: 1102-1111 <https://doi.org/10.1111/1755-0998.12380> [species diversity]

Monfils, A, Powers, K et al (2017) Natural History Collections: Teaching about Biodiversity Across Time, Space , and Digital Platforms *Southeastern Naturalist* 16: 47-57 <https://doi.org/10.1656/0580160sp1008> [education]

Moyes CL, Shearer FM, Huang Z et al (2016) Predicting the geographical distributions of the macaque hosts and mosquito vectors of Plasmodium knowlesi malaria in forested and non-forested areas *Parasites & Vectors* 9(1):242 doi: 10.1186/s13071-016-1527-0. [Human Health]

Munson SM and Long AL (2016) Climate drives shifts in grass reproductive phenology across the western USA *New Phytologist* 213(4): 1945–1955 <https://doi.org/10.1111/nph.14327>[climate change]

Newbold T, Hudson LN, Hill SLL et al (2016) Global patterns of terrestrial assemblage turnover within and among land uses *Ecography* 39: 1151-1163 <https://doi.org/10.1111/ecog.01932> [ecology]

Nogué S, Long PR, Eycott AE et al (2016) Pollination service delivery for European crops: Challenges and opportunities *Ecological Economics* 128: 1–7 <https://doi.org/10.1016/j> [human health]

Nylinder S, Razafimandimbison SG and Anderberg AA (2016) From the Namib around the world: biogeography of the Inuleae-Plucheinae (Asteraceae) *Journal of Biogeography* 43(9): 1705–1716 [biodiversity]

Oliveira U, Paglia AP, Brescovit AD et al (2016) The strong influence of collection bias on biodiversity knowledge shortfalls of Brazilian terrestrial biodiversity *Diversity and Distributions* 22(12): 1232–1244 [data management]

Osawa T, Kohyama K and Mitsuhashi H (2016) Trade-off relationship between modern agriculture and biodiversity: Heavy consolidation work

has a long-term negative impact on plant species diversity *Land Use Policy* 54:78–84 <https://doi.org/101016/j.landusepol201602001> (species diversity)

Ostrowski M-F, Prosperi J-M and David J (2016) Potential Implications of Climate Change on Aegilops Species Distribution: Sympatry of These Crop Wild Relatives with the Major European Crop *Triticum aestivum* and Conservation Issues *PLOS ONE* 11(4): e0153974 <https://doi.org/101371/journal.pone0153974> [species distribution]

Otegui J & Guralnick R (2016) The geospatial data quality REST API for primary biodiversity data *Bioinformatics* 32: 755-1757 doi: 101093/bioinformatics/btw057 [tools]

Page, LM, MacFadden BJ, Forte JA et al (2015) Digitization of biodiversity collections reveals biggest data on biodiversity *BioScience* 65: 841-842 doi: 101093/biosci/biv104 [species diversity]

Parr CS, Wilson N, Leary P, (2014) The Encyclopedia of Life v2: Providing global access to knowledge about life on earth *Biodiversity Data Journal* 2: e1079 doi: 103897/BDJ2e1079 [tools]

Pauli JN, Newsome SD, Cook JA et al (2017) Opinion: Why we need a centralized repository for isotopic data *Proceedings of the National Academy of Sciences* Mar 21; 114:2997–3001 <https://doi.org/101073/pnas1701742114> PMID: [28325883](https://pubmed.ncbi.nlm.nih.gov/28325883/)

Pearse W, Davis C et al (2017) A statistical estimator for determining the limits of contemporary and historic phenology *Nature Ecology and Evolution* 1: 1876-1882 doi: [101038/s41559-017-0350-0](https://doi.org/101038/s41559-017-0350-0) [phenology]

Pérez-Moreno H, Martínez-Meyer E, Soberón Mainero J et al (2016) Climatic patterns in the establishment of wintering areas by North American migratory birds *Ecology and Evolution* 2022–2033 <https://doi.org/101002/ece31973> [ecology]

Pertierra LR, Aragón P, Shaw JD et al (2017) Global thermal niche models of two European grasses show high invasion risks in Antarctica *Global Change Biology* 23:2863-2873 [invasive species] <https://doi.org/101111/gcb13596>

Peterson AT, Navarro-Sigüenza AG and Martínez-Meyer E (2016) Digital Accessible Knowledge and well-inventoried sites for birds in Mexico: baseline sites for measuring faunistic change *PeerJ* 4: e2362 <https://doi.org/107717/peerj2362> [species diversity]

Phillips J, Asdal Å, Magos Brehm J et al (2016) In situ and ex situ diversity analysis of priority crop wild relatives in Norway *Diversity and Distributions* 22(11): 1112–1126 <https://doi.org/101111/ddi12470> [conservation]

Pierce S, Negreiros D, Cerabolini BEL et al (2016) A global method for calculating plant CSR ecological strategies applied across biomes worldwide *Functional Ecology* 35: 444–457 <https://doi.org/101111/1365-243512722> [traits]

Pigott , DM, Millier AI, Earl L et al (2016) Updates to the zoonotic niche map of Ebola virus disease in Africa *ELife* 2016 Jul 14;5 doi: 107554/eLife16412[Human Health]

Poelen, J (2017) Global Biotic Interactions: A catalyst for integrating existing interaction datasets, connecting data curators and developing data exchange methods *Biodiversity Information Science and Standards* 1: e20214 doi: 103897/tdwgproceedings120214 [tools]

Poelen, JH, JD Simons & CJ Mungall (2014) Global biotic interactions: an open infrastructure to share and analyze species-interaction datasets *Ecological Informatics* 24: 148-159 [tools]

Pranovi F, Anelli Monti M, Brigolin D et al(2016) The Influence of the Spatial Scale on the Fishery Landings-SST Relationship *Frontiers in Marine Science* *Frontiers in Marine Science* 3: 43 <https://doi.org/103389/fmars201600143> [Climate Change]

Primack R, & Gallinat A (2017) Insights into grass phenology from herbarium specimens *New Phytologist* 213: 567-1568 <https://doi.org/101111/nph14439> [phenology]

Pyle, RL (2016) Towards a global names architecture: The future of indexing scientific names *ZooKeys* 550: 261-281 doi: 103897/zookeys55010009 [tools]

Pyle RL, Boland R, Bolick H et al (2016) A comprehensive investigation of mesophotic coral ecosystems in the Hawaiian Archipelago *PeerJ* 4: e2475 <https://doi.org/107717/peerj2475> [ecology]

Rambold G, Zedda L, Coyle JR et al (2016) Geographic heat maps of lichen traits derived by combining LIAS light description and GBIF occurrence data, provided on a new platform *Biodiversity and Conservation* 25: 2743–2751 [Data Management]

Redding DW, Moses LM, Cunningham AA et al (2016) Environmental-mechanistic modelling of the impact of global change on human zoonotic disease emergence: a case study of Lassa fever *Methods in Ecology and Evolution* 7(6): 646–655 [Human Health]

Rowe, K, Singhal, S, Macmanes, M et al (2011) Museum genomics: Low-cost and high-accuracy genetic data from historical specimens *Molecular Ecology Resources* 11: 1082-1092 doi: 101111/j1755-0998201103052x [genomics]

Salas-Lopez A, Talaga S & Lalagüe H (2016) The discovery of devil's gardens: an ant–plant mutualism in the cloud forests of the Eastern Amazon *Journal of Tropical Ecology* 32: 264–268 <https://doi.org/101017/S0266467416000195> [ecology]

Samy AM, Elaagip AH, Kenawy MA et al (2016) Climate Change Influences on the Global Potential Distribution of the Mosquito *Culex quinquefasciatus*, Vector of West Nile Virus and Lymphatic Filariasis *PLOS ONE* 11(10): e0163863

Samy AM and Peterson AT (2016) Climate Change Influences on the Global Potential Distribution of Bluetongue Virus *PLOS ONE* 11(3): e0150489 <https://doi.org/101186/s12862-016-0752-7> [disease vectors]

Schindel DE & Cook JA (2018) The next generation of natural history collections *PLoS Biology* 16(7): 2006125 doi: 101371/journalpbio2006125 [species distributions]

Schleuning M, Fründ J, Schweiger O et al (2016) Ecological networks are more sensitive to plant than to animal extinction under climate change *Nature Communications* 7: 13965 [climate change] <https://doi.org/101038/ncomms13965>

Seltmann, KC, Cobb NS, Gall LF et al (2017) LepNet: The Lepidoptera of North America Network: Documenting diversity in the largest clade of herbivores *ZooKeys* 4247: 73-77 [species distributions]

Short, AEZ, Dikow T, and Moreau CS (2018) Entomological collections in the age of big data *Annual Review of Entomology* 63: 513-530

Sikes DS, Trumbo ST & Peck SB (2016) Cryptic diversity in the New World burying beetle fauna: *Nicrophorus hebes* Kirby; new status as a resurrected name (Coleoptera: Silphidae: Nicrophorinae) *Arthropod Systematics & Phylogeny* 74(3): 299-309 <http://bitly/2rytn1P> [species diversity]

Simons, J and J Poelen (2017) GoMexSI: Using open platforms such as Github, Wordpress, and GloBI to manage, and share species interaction data *Biodiversity Information Science and Standards* 1: e20325 doi: 103897/tdwgproceedings120325[tools]

Smith BE, Johnston MK and Lücking R (2016) From GenBank to GBIF: Phylogeny-Based Predictive Niche Modeling Tests Accuracy of Taxonomic Identifications in Large Occurrence Data Repositories *PLOS ONE* e0151232 <https://doiorg/101371/journal.pone0151232> [tools]

Solberg SØ and Chou Y-Y (2017) Conservation of Indigenous Vegetables from a Hotspot in Tropical Asia: What Did We Learn from Vavilov? *Frontiers in Plant Science* 7: 1982. <https://doiorg/103389/fpls201601982> [human health]

Soltis, PS (2017) Digitization of herbaria enables novel research *American Journal of Botany* 104: 1281-1284[species diversity]

Sonenshine, DE (2018) Range expansion of tick disease vectors in North America: implications for spread of tick-borne disease *International Journal of Environmental Research and Public Health* 15: 478 doi: 103390/ijerph15030478[species distributions]

Spalink D, Drew BT, Pace MC (2016) Biogeography of the cosmopolitan sedges (Cyperaceae) and the area-richness correlation in plants *Journal of Biogeography* 43(10): 1893–1904 <https://doiorg/101016/jympbev201607008> [biogeography]

Spear D, Pauly G, & Kaiser K (2017) Citizen Science as a Tool for Augmenting Museum Collection Data from Urban Areas *Frontiers in Ecology and Evolution* 5:86 doi: 103389/fevo201700086 [citizen science]

Spellman K, Mulder C 2016 Validating Herbarium-Based phenology models using Citizen Science Data *BioScience* 66: 897-906 <https://doi.org/101093/biosci/biw11> [citizen science]

Staats M, Cuenca A, Richardson J (2011) DNA damage in plant herbarium tissue *PLOS ONE* [December 5, 2011] <https://doi.org/101371/journalpone0028448> [genomics]

Staats M, Erkens R, van de Vossenberg B (2013) Genomic Treasure Troves: Complete Genome Sequencing of Herbarium and Insect Museum Specimens *PLOS ONE* 2013 Jul 29;8(7):e69189 doi: 101371/journalpone0069189 [genomics]

Stephens CR, Heau JG, González C 2009 Using biotic interaction networks for prediction in biodiversity and emerging diseases *PLOS ONE* 4(5): e5725 doi: 101371/journalpone0005725[tools]

Stokke, BG, Ratikainen II, Moksnes A (2018) Characteristics determining host suitability for a generalist parasite *Scientific Reports* 8: 1-10 doi: 101038/s41598-018-24627-1[species diversity]

Stropp J, Ladle RJ, M Malhado AC (2016) Mapping ignorance: 300 years of collecting flowering plants in Africa *Global Ecology and Biogeography* 25(9): 1085–1096 [data management] <https://doi.org/101111/geb12468>

Tatem AJ, Hay SI & Rogers DJ (2006) Global traffic and disease vector dispersal *Proceedings of the National Academy of Sciences* 103: 6242-6247[species distributions]

Ter Steege H, Vaessen RW, Cárdenas-López D (2016) The discovery of the Amazonian tree flora with an updated checklist of all known tree taxa *Scientific Reports* 6: 29549 [species diversity] <https://doi.org/101038/srep29549>

Tewksbury JJ, Anderson JGT, Bakker JD (2014) Natural history's place in science and society *BioScience* 64: 300-310 doi: 101093/biosci/biu032[education]

Thoemme, MS, Fergus DJ, Urban J (2014) Ubiquity and diversity of human-associated *Demodex* mites *PLOS ONE* 9(8): e106265 doi: 10.1371/journal.pone.0106265 [species distributions]

Thomas MA, Roemer GW, Dickson BG, (2013) Gene tweaking for conservation *Nature* 2013 Sep 25; 501:485–486 PMID: [24073449](https://pubmed.ncbi.nlm.nih.gov/24073449/)

Tolley KA, Alexander GJ, Branch WR (2016) Conservation status and threats for African reptiles *Biological Conservation* 204: 63–71 <https://doi.org/10.1016/j.biocon.2016.04.006> [conservation]

Trejo-Salazar R-E, Eguiarte LE, Suro-Piñera D (2016) Save Our Bats, Save Our Tequila: Industry and Science Join Forces to Help Bats and Agaves *Natural Areas Journal* 36(4): 523–530 <https://doi.org/10.3375/0430360417> [conservation]

Troutet J, Vignes-Lebbe R, Grandcolas P (2018) The Increasing Disconnection of Primary Biodiversity Data from Specimens: How Does It Happen and How to Handle It?, *Systematic Biology* 67: 1110–1119, <https://doi.org/10.1093/sysbio/syy044> [tools]

Trumbo DR, Epstein B, Hohenlohe PA (2016) Mixed population genomics support for the central marginal hypothesis across the invasive range of the cane toad (*Rhinella marina*) in Australia *Molecular Ecology* 25(17): 4161–4176 <https://doi.org/10.1111/mec.13754> [invasive species]

Tsangaras, K and Greenwood AD (2012) Museums and disease: using tissue archive and museum samples to study pathogens *Annals of Anatomy* 194: 58-73 [genomics]

Vázquez, DP, Poulin R, Krasnov BR (2005) Species abundance and the distribution of specialization in host-parasite interaction networks *Journal of Animal Ecology* 74: 946-955 [species distributions]

Vogt L, Nickel M, Jenner RA (2013) The need for data standards in zoomorphology *Journal of Morphology* 274: 793-808 [tools]

Wan J-Z, Wang C-J & Yu F-H (2016) Impacts of the spatial scale of climate data on the modeled distribution probabilities of invasive tree species throughout the world *Ecological Informatics* 36: 42–49 <https://doi.org/10.1016/j.ecoinf.2016.10.001> [invasive species]

Wang J-C, Pan B-R and Albach DC (2016) Evolution of morphological and climatic adaptations in *Veronica* L(Plantaginaceae) *PeerJ* 4: e2333 <https://doi.org/107717/peerj2333> [species diversity]

Wauchope HS, Shaw JD, Varpe Ø, Lappo EG, Boertmann D, Lanctot RB and Fuller RA (2016) Rapid climate-driven loss of breeding habitat for Arctic migratory birds *Global Change Biology* 2017 Mar;23(3):1085-1094 doi: 101111/gcb13404[Climate change]

Webster, MS, editor The Extended Specimen: Emerging Frontiers in Collections-based Ornithological Research CRC Press/Taylor & Francis Group, Boca Raton, FL

Wheeler Q, Knapp S, Stevenson DW, *et al* (2012) Mapping the biosphere: exploring species to understand the origin, organization and sustainability of biodiversity *Systematic Biodiversity* 10: 1-20 [https://www.tandfonline.com/doi/abs/101080/14772000\(2012\)665095](https://www.tandfonline.com/doi/abs/101080/14772000(2012)665095) [species diversity]

Wieczorek J, Bloom D, Guralnick R, Blum S, Döring M, Giovanni,R, Robertson, T (2012) Darwin Core: An evolving community-developed biodiversity data standard *PLOS ONE* 7:e29715 doi: 101371/journal.pone0029715 [standards]

Willis, C, Ellwood, E, Primack, R, Davis, C, Pearson, K Gallinat, A (2017) Old Plants, New Tricks: Phenological Research Using Herbarium Specimens *Trends in Ecology and Evolution*
PMID [28465044](#) DOI: [101016/jtree201703015](#) [phenology]

Willis, CE, Williams, A et al (2017) CrowdCurio: an online crowdsourcing platform to facilitate climate change studies using herbarium specimens *New Phytologist* PMID [28394023](#) DOI: [101111/nph14535](#) [tools]

Wood, HM, González VI, Lloyd M, Coddington, J and Scharff, N (2018) Next-generation museum genomics: phylogenetic relationships among palpimanoid spiders using sequence capture techniques (Araneae: Palpimanoidea) *Molecular Phylogenetic and Evolution* 127: 907-918[genomics]

Wyse SV and Dickie JB (2017) Predicting the global incidence of seed desiccation sensitivity *Journal of Ecology* 105: 1082-1093 <https://doi.org/10.1111/1365-2745.12725> [climate change]

Yoshida K, Burbano HA, Krause J, Thines M, Weigel D, Kamoun S (2014) Mining Herbaria for Plant Pathogen Genomes: Back to the Future *PLoS Pathog* 2014 Apr 24; 10(4):e1004028 <https://doi.org/10.1371/journal.ppat.1004028> PMID: [24763501](https://pubmed.ncbi.nlm.nih.gov/24763501/) [genomics]

Yost, JM, Sweeney PW, Gilbert E, Nelson G, Guralnick R, Gallinat AS, Ellwood, ER *et al* (2018) Digitization protocol for scoring phenology from herbarium specimens of seed plants *Applications in Plant Science* 6(2): e1022 doi: 10.1002/aps31022[tools]

Zedane, L, Hong-Wa, C, Muriene, J, Jeziorski, C, Baldwin, B, & Besnard, G (2016) Museomics illuminate the history of an extinct, paleoendemic plant lineage (*Hesperelaea*, *Oleaceae*) known from an 1875 collection from Guadalupe Island, Mexico *Biological Journal of the Linnean Society* 117: 44-57 <https://doi.org/10.1111/bij.12509> [species diversity]

Zhang J, Nielsen SE, Chen Y, Georges D, Qin Y, Wang S-S, Svenning J-C and Thuiller W (2016) Extinction risk of North American seed plants elevated by climate and land-use change *Journal of Applied Ecology* 54: 303-312 <https://doi.org/10.1111/1365-2664.12701> [climate change]

Zizka A, terSteege H, Pessoa M do CR and Antonelli A (2017) Finding needles in the haystack: where to look for rare species in the American tropics *Ecography* 41: 321-330 <https://doi.org/10.1111/ecog.02192> [species diversity]

